



KDRS

Kommunearkivinstitusjonenes
Digitale RessursSenter


KDRS digitalt depot
Del 4 – Arbeidsflyt ved deponering,
forts.
26. og 27. januar 2021

ESSArch Preservation Platform

I denne delen skal vi se på den videre arbeidsflyten rundt deponering, nemlig det som foregår i EPP – ESSArch Preservation Platform.



ESSArch Preservation Platform



EPP - Oppstartsside

EPP (ESSArch Preservation Platform) 2.7.2 - Status at 2016-05-30 15:46

Welcome, Peter. [Change password / Log out](#)

CONTROL AREA ▾ INGEST ▾ ACCESS ▾ ADMINISTRATION ▾ REPORTS ▾ MANAGEMENT ▾ HELP ▾

Processes:

SIPReceiver: 1
SIPValidateAIS: 1
SIPValidateApproval: 1
SIPValidateFormat: 1
AIPCreator: 1
AIPChecksum: 1
AIPValidate: 1
SIPRemove: 1
AIPWriter: 1
AIPPurge: 1
TLD: 1
db_sync_ais: 1
ESSlogging: 1
AccessEngine: 1
FTPServer: 1

Storage media overview

Archive tapes online: None

Add new tapes starting with: None

Write tapes: None

Empty tapes: None

Error tapes: None

Ongoing requests

User	Request purpose	Status	Info
No uncompleted requests			

Proc logfile alarms:

None




EPP – Checkin from Reception

The screenshot shows the ESSArch Preservation Platform (EPP) interface. The browser address bar displays <https://essarch3.kdrs.no>. The page title is "Arch Preservation Platform) 2.7.2 - Status at 2016-05-30 15:50". The user is logged in as "Peter". The navigation menu includes "CONTROL AREA", "INGEST", "ACCESS", "ADMINISTRATION", "REPORTS", "MANAGEMENT", and "HELP". The "Checkin from Reception" option is highlighted with a red circle. The main content area displays a "Storage media overview" with various status indicators (e.g., "Archive tapes online: None", "Add new tapes starting with: None", "Write tapes: None", "Empty tapes: None", "Error tapes: None", "Ongoing requests: No uncompleted requests"). The "Proc logfile alarms" section shows "None".



EPP – Checkin, forts.




The screenshot shows a web browser window displaying the EPP (ESSArch Preservation Platform) interface. The browser's address bar shows the URL <https://essarch3.kdrs.no/controlarea/checkinfromreceptionlist/>. The page header includes the EPP logo and the text "EPP (ESSArch Preservation Platform)" and "Welcome, Peter. Change password / Log out". A navigation menu contains the following items: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. The main content area displays the heading "Select which information package to checkin from reception" and a table with the following data:

AIC/Media	Archivist organization	Label	Create date	Start date	End date	IP type	State	AIC (UUID)	IP (UUID)
<input checked="" type="radio"/> LC	Test organisasjon	Kurs eksempel	2016-05-27T16:33:43+02:00	2016-01-01	2016-12-30	AIC		0ffa24f4-2665-11e6-99d4-0800276b6fde	



EPP – Checkin, forts.



The screenshot shows the EPP (ESSArch Preservation Platform) web interface. The browser address bar displays <https://essarch3.kdrs.no/controlarea/checkinfromreceptionlist/>. The page title is "EPP (ESSArch Preservation Platform)" and the user is logged in as "Peter". The navigation menu includes "CONTROL AREA", "INGEST", "ACCESS", "ADMINISTRATION", "REPORTS", "MANAGEMENT", and "HELP".

The main content area displays the heading "Select which information package to checkin from reception" and a table with the following data:

AIC/Media	Archivist organization	Label	Create date	Start date	End date	IP type	State	AIC (UUID)	IP (UUID)
-AIC	Test organisasjon	Kurs eksempel	2016-05-27T16:33:43+02:00	2016-01-01	2016-12-30	AIC		0ffa24f4-2665-11e6-99d4-0800276b6fde	
EFT	Test organisasjon	Kurs eksempel	2016-05-27T16:33:43+02:00	2016-01-01	2016-12-30	SIP	Reception	0ffa24f4-2665-11e6-99d4-0800276b6fde	419ece0c-2416-11e6-841e-080027ec5792



EPP – Checkin, forts.

EPP (ESSArch Preservation Platform) Welcome, Peter. Change password / Log out

CONTROL AREA ▾ INGEST ▾ ACCESS ▾ ADMINISTRATION ▾ REPORTS ▾ MANAGEMENT ▾ HELP ▾

Create controlarea request

Please fill in the fields or use prefilled data (* indicates mandatory field)

ReqUUID: *	b97dca2a-2675-11e6-aa69-00505697c6e4
ReqType: *	CheckIn from Reception
ReqPurpose: *	Kurs eksempel
User: *	pkv
ObjectIdentifierValue: *	419ece0c-2416-11e6-841e-080027ec5792
Archive Policy ID: *	faf7bb986b2b4271946e1a63fa4cedd3
Information Class: *	1
DELIVERYTYPE: *	N/A
DELIVERYSPECIFICATION: *	N/A
Allow unknown filetypes:	<input checked="" type="checkbox"/>



EPP – Checking in

The screenshot shows a web browser window with the URL <https://essarch3.kdrs.no/controlarea/fromreceptionprogress/a9a396af-1eef-4118-825f-4c252a9dfab2/>. The browser's address bar shows the URL and navigation icons. The page title is "EPP (ESSArch Preservation Platform)" and the user is logged in as "Peter". The navigation menu includes "CONTROL AREA", "INGEST", "ACCESS", "ADMINISTRATION", "REPORTS", "MANAGEMENT", and "HELP". The main content area displays the message "Request to check in IP from reception" and "Request is in progress" with a progress indicator consisting of a row of 10 small squares, the first of which is filled.



EPP – Checkin successful

The screenshot shows a web browser window with the URL <https://essarch3.kdrs.no/controlarea/fromreceptionprogress/a9a396af-1eef-4118-825f-4c252a9dfab2/>. The page title is "EPP (ESSArch Preservation Platform)". The user is logged in as "Peter". The navigation menu includes: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. The main content area displays the message "Request to check in IP from reception" and "Request is successful" (circled in green). Below this, the following details are shown:

Category: controlarea
Label: Check In from Reception
User: pkv
Request purpose: Kurs eksempel

Status
Found logfile: /ESSArch/data/gate/lobby/Offa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792/log.xml for package: /ESSArch/data/gate/reception/Offa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792/content/419ece0c-2416-11e6-841e-080027ec5792.tar
Copy package structure /ESSArch/data/gate/lobby/Offa24f4-2665-11e6-99d4-0800276b6fde to /ESSArch/data/epp/control/Offa24f4-2665-11e6-99d4-0800276b6fde
Copy /ESSArch/data/gate/reception/Offa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792/content/419ece0c-2416-11e6-841e-080027ec5792.tar to package content directory: /ESSArch/data/epp/control/Offa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792/content

Success to get METS agents,altRecords and label from info.xml
Add altRecordID ['POLICYID', u'faf7bb986b2b4271946e1a63fa4cedd3'] to metsfile
Add altRecordID ['INFORMATIONCLASS', u'1'] to metsfile
Add altRecordID ['DELIVERYTYPE', u'N/A'] to metsfile
Add altRecordID ['DELIVERYSPECIFICATION', u'N/A'] to metsfile
Create new PREMIS: /ESSArch/data/epp/control/Offa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792/administrative_metadata/premis.xml
Add new entry to DB for AIC_UUID: Offa24f4-2665-11e6-99d4-0800276b6fde
Add new entry to DB for IP_UUID: 419ece0c-2416-11e6-841e-080027ec5792
Add new entry to DB for eventIdentifierValue: Offa8b2e-2665-11e6-99d4-0800276b6fde
Add new entry to DB for eventIdentifierValue: 81810d80-2666-11e6-99d4-0800276b6fde
Add new entry to DB for eventIdentifierValue: 3bb395c4-2667-11e6-abbd-0800276b6fde
Add new entry to DB for eventIdentifierValue: 419fdebe-2416-11e6-841e-080027ec5792



EPP – Preserve IP

https://essarch3.kdrs.no/controlarea/fromreceptionprogress/a9a396af-1eef-4118-825f-4c252a9dfab2/

EPP (ESSArch Preservation Platform)

Welcome, Peter. Change password / Log out

CONTROL AREA ▾ INGEST ▾ ACCESS ▾ ADMINISTRATION ▾ REPORTS ▾ MANAGEMENT ▾ HELP ▾

CheckIn from Reception

CheckOut to Workarea

CheckIn from Workarea

CheckOut to Galearea from work

CheckIn from Galearea to work

CheckIn from Galearea

DiffCheck

Preserve Information Package

Delete IP in Controlarea

Overview of controlarea requests

Add altRecordID ['DELIVERYTYPE', u'N/A'] to metsfile

Add altRecordID ['DELIVERYSPECIFICATION', u'N/A'] to metsfile

Create new PREMIS: /ESSArch/data/epp/control/Offa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792/administrative_metadata/premis.xml

Add new entry to DB for AIC_UUID: Offa24f4-2665-11e6-99d4-0800276b6fde

Add new entry to DB for IP_UUID: 419ece0c-2416-11e6-841e-080027ec5792

Add new entry to DB for eventIdentifierValue: Offa8b2e-2665-11e6-99d4-0800276b6fde

Add new entry to DB for eventIdentifierValue: 81810d80-2666-11e6-99d4-0800276b6fde


Add new entry to DB for eventIdentifierValue: 3bb395c4-2667-11e6-abbd-0800276b6fde

Add new entry to DB for eventIdentifierValue: 419fdebe-2416-11e6-841e-080027ec5792

https://essarch3.kdrs.no/controlarea/fromreceptionprogress/a9a396af-1eef-4118-825f-4c252a9dfab2/#vertical




EPP – Preserve IP, forts.



The screenshot shows the EPP (ESSArch Preservation Platform) control area. The page title is "Select which information package to preserve in archive". The interface includes a navigation menu with options: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. The user is logged in as Peter. The main content area displays a table of information packages. The first entry is highlighted with a red circle.


Show 10 entries Search:

Identification	Archivist organization	Label	Create date	Start date	End date	Type	Generation	State	Activity
 Off 24f4-2665-11e6-99d4-0800776b6fde	Test organisasjon	Kurs eksempel	2016-05-27	2015-12-31	2016-12-29	AIC			

Showing 1 to 1 of 1 entries



EPP – Preserve IP, forts.



The screenshot shows the EPP (ESSArch Preservation Platform) interface. The page title is "EPP (ESSArch Preservation Platform)" and the user is logged in as "Peter". The navigation menu includes "CONTROL AREA", "INGEST", "ACCESS", "ADMINISTRATION", "REPORTS", "MANAGEMENT", and "HELP". The main content area displays a table of information packages with the following columns: Identification, Archivist organization, Label, Create date, Start date, End date, Type, Generation, State, and Activity. The second entry in the table is circled in red.

Select which information package to preserve in archive

Show 10 entries Column visibility Search:

Identification	Archivist organization	Label	Create date	Start date	End date	Type	Generation	State	Activity
Offa24f4-2665-11e6-99d4-0800276b6fde	Test organisasjon	Kurs eksempel	2016-05-27	2015-12-31	2016-12-29	AIC			
419ece0c-2416-11e6-841e-080027ec5792	Test organisasjon	Kurs eksempel	2016-05-27	2015-12-31	2016-12-29	SIP	IP_0	ControlArea	OK

Showing 1 to 1 of 1 entries Previous 1 Next



EPP – Preserve IP, forts.

The screenshot shows the EPP (ESSArch Preservation Platform) web interface. The browser address bar displays <https://essarch3.kdrs.no/controlarea/preserveip/6/>. The page title is "EPP (ESSArch Preservation Platform)". The navigation menu includes: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. The main heading is "Create controlarea request". Below the heading, there is a note: "Please fill in the fields or use prefilled data (* indicates mandatory field)". The form contains the following fields:

- ReqUUID: * 939068bc-2676-11e6-8c73-00505697c6e4*
- ReqType: * Preserve Information Package *
- ReqPurpose: * **Kurs eksempel** *
- User: *
- ObjectIdentifierValue: *419ece0c-2416-11e6-841e-080027ec5792*


A "Submit →" button is located below the form. Below the form, there is a section titled "Events for IP" with a table of events:

Event UUID	Type	Date	Outcome	Note	Agent	Generation	Linking Object ID
419fdebe-2416-11e6-841e-080027ec5792	10000	May 27, 2016, 4:21 p.m.	OK	Success to create logfile	pkv	IP_0	419ece0c-2416-11e6-841e-080027ec5792
0ffa8b2e-2665-11e6-99d4-0800276b6fde	20000	May 30, 2016, 2:50 p.m.	OK	Success to create logfile	pkv	IP_0	419ece0c-2416-11e6-841e-080027ec5792
81810d80-2666-11e6-99d4-0800276b6fde	20100	May 30, 2016, 3 p.m.	OK	Mottatt OK.	pkv	IP_0	419ece0c-2416-11e6-841e-080027ec5792
3bb395c4-2667-11e6-abbd-0800276b6fde	20800	May 30, 2016, 3:05 p.m.	OK	Alt OK.	pkv	IP_0	419ece0c-2416-11e6-841e-080027ec5792
f3b4afa6-2675-11e6-962a-00505697c6e4	30000	May 30, 2016, 4:51 p.m.	OK	Success to CheckIn object: 419ece0c-2416-11e6-841e-080027ec5792 from reception, ReqUUID: b97dca2a-2675-11e6-aa69-00505697c6e4	pkv	IP_0	419ece0c-2416-11e6-841e-080027ec5792

Below the table, there is a section titled "Related events for AIC" with a table header: Event UUID | Type | Date | Outcome | Note | Agent | Generation | Linking Object ID.



EPP – Preserve IP, forts.



The screenshot shows a web browser window displaying the ESSArch Preservation Platform (EPP) control area. The browser's address bar shows the URL: <https://essarch3.kdrs.no/controlarea/preserveprogress/6a7a220f-5223-4b65-ae22-a0244f143317/>. The page header includes the EPP logo and the text "EPP (ESSArch Preservation Platform)" and "Welcome, Peter. Change password / Log out". A navigation menu contains the following items: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. The main content area displays the following information:

Request to preserve IP

Request is successful

Category: controlarea
Label: Preserve IP
User: pkv
Request purpose: Kurs eksempel

Status
Copy IP: 0ffa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792 from controlarea: /ESSArch/data/epp/control to ingestpath: /ESSArch/data/epp/ingest



EPP – Ingest IP

The screenshot shows the ESSArch Preservation Platform (EPP) web interface. The browser address bar displays the URL: <https://essarch3.kdrs.no/controlarea/preserveprogress/6a7a220f-5223-4b65-ae22-a0244f143317/>. The page title is "EPP (ESSArch Preservation Platform)". The user is logged in as "Peter".

The navigation menu includes: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. The "INGEST" menu is expanded, showing options: "List information packages" (circled in red), "Create new ingest request", and "List ingest request queue".

Request to preserve: [Create new ingest request](#)

Request is successful: [List ingest request queue](#)

Category: controlarea
Label: Preserve IP
User: pkv
Request purpose: Kurs eksempel

Status
Copy IP: 0ffa24f4-2665-11e6-99d4-0800276b6fde/419ece0c-2416-11e6-841e-080027ec5792 from controlarea: /ESSArch/data/epp/control to ingestpath: /ESSArch/data/epp/ingest

https://essarch3.kdrs.no/ingest/listobj



EPP – Ingest IP, forts.

The screenshot shows the ESSArch Preservation Platform (EPP) web interface. The browser address bar displays <https://essarch3.kdrs.no/ingest/listobj>. The page title is "INGEST - List information packages".

Navigation menu: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, HELP.

Search:

Showing 1 to 1 of 1 entries

Identification	Archivist organization	Label	Create date	Start date	End date	Type	Generation	State	Activity
Offa24f4-2665-11e6-99d4-0800276b6fde	Test organisasjon	Kurs eksempel	2016-05-27	2015-12-31	2016-12-29	AIC			
419ece0c-2416-11e6-841e-080027ec5792	Test organisasjon	Kurs eksempel	2016-05-30	2015-12-31	2016-12-29	AIP	IP_0	Write AIP to longterm storage	Progress

Navigation: Previous 1 Next



EPP – Ingest IP ferdig.

The screenshot shows a web browser window with the URL <https://essarch3.kdrs.no/ingest/listobj>. The browser's address bar shows the URL and navigation icons. The page header includes the EPP logo and the text "EPP (ESSArch Preservation Platform)". A navigation menu contains "CONTROL AREA", "INGEST", "ACCESS", "ADMINISTRATION", "REPORTS", "MANAGEMENT", and "HELP". A user greeting "Welcome, Peter. Change password / Log out" is visible in the top right.

INGEST - List information packages

Show entries Search:

Identification	Archivist organization	Label	Create date	Start date	End date	Type	Generation	State	Activity
No data available in table									

Showing 0 to 0 of 0 entries



EPP – Kvittering.

Standardoppsett:

- Til Postmottak:
Journalføring
- Til bruker:
Katalogisering
(Asta?)

ESSArch receipt - object "2b802eb4-4be0-11e9-8ded-080027ec5792" successfully archived!



e-archive+ESSArch2@kdrs.no

Til pkv+essarch2_receipt@kdrs.no; pkv+test@kdrs.no

↩ Svar

↩ Svar til alle

→ Videre send



tor. 21.03.2019 15:06

Object "2b802eb4-4be0-11e9-8ded-080027ec5792" was successfully archived and can now be accessed from ESSArch.

Subset of package metadata:

LABEL: Test EPP Receipt 25

SUBMISSIONAGREEMENT: N/A

STARTDATE: 2016-01-01

ENDDATE: 2016-12-30

POLICYID: 195a46ae6baf4045881ab12cd8e4eb46

INFORMATIONCLASS: 1

DELIVERYTYPE: N/A

DELIVERYSPECIFICATION: N/A

ARCHIVIST ORGANIZATION: KDRS SA

ARCHIVIST SOFTWARE: N/A

ARCHIVIST SOFTWARE: N/A

ARCHIVIST SOFTWARE: N/A

CREATOR ORGANIZATION: KDRS SA

PRODUCER ORGANIZATION: KDRS SA

PRODUCER INDIVIDUAL: Peter Værlien

PRODUCER SOFTWARE: N/A

SUBMITTER ORGANIZATION: KDRS SA

SUBMITTER INDIVIDUAL: Peter Værlien

IPOWNER ORGANIZATION: KDRS SA

PRESERVATION ORGANIZATION: KDRS SA

CREATOR INDIVIDUAL: ESSArch_ESSArch2

CREATOR SOFTWARE: ESSArch

VERSION=2.5.

Please return to "ESSArch Preservation Platform" and click on menu "Access" to access archived objects.




EPP – oversikt lagringsmedier

The screenshot shows a web browser window with the URL <https://essarch3.kdrs.no/ingest/listobj>. The page title is "EPP (ESSArch Preservation Platform)". The navigation menu includes "CONTROL AREA", "INGEST", "ACCESS", "ADMINISTRATION", "REPORTS", "MANAGEMENT", and "HELP". The "ADMINISTRATION" menu is expanded, showing options: "List robot information", "Storage Migration", "Storage Maintenance", and "List storage medium". The "List storage medium" option is circled in red. Below the menu, the page content is titled "INGEST - List information packages". It features a "Show 10 entries" dropdown, a "Search:" input field, and a "Column visibility" button. A table header is visible with columns: "Identification", "Archivist organization", "Label", "Create date", "Start date", "End date", "Type", "Generation", "State", and "Activity". The table body contains the text "No data available in table". At the bottom, it says "Showing 0 to 0 of 0 entries" and has "Previous" and "Next" buttons. The browser's address bar at the bottom shows <https://essarch3.kdrs.no/administration/liststoragemedium/>.



EPP – oversikt lagringsmedier



The screenshot shows the EPP (ESSArch Preservation Platform) administration interface. The browser address bar displays <https://essarch3.kdrs.no/administration/liststoragemedium/>. The page title is "ADMINISTRATION - List media information". The interface includes a navigation menu with options: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. The main content area shows a table of media information with columns: ID, Type, Status, Create Date, Last Update, Location, Location Status, Used Capacity, and Used. The table contains three entries. Below the table, it indicates "Showing 1 to 3 of 3 entries" and provides navigation controls for "Previous", "1", and "Next".

Display records

Search:

ID	Type	Status	Create Date	Last Update	Location	Location Status	Used Capacity	Used
A32001	HP-LTO6	Write	2016-02-10T08:36:22Z	2016-05-30T14:59:48Z	Media_KDRS-MO-MEDIA-1	Robot	2357122	3
A31001	HP-LTO6	Write	2016-02-10T08:36:22Z	2016-05-30T14:59:48Z	Media_KDRS-OSLO-MEDIA-1	Robot	2357122	3
disk1_ESSArch3	DISK	Write	2016-02-10T08:36:07Z	2016-05-30T14:58:18Z	Media_ESSArch3	Robot	2357122	0

Showing 1 to 3 of 3 entries

← Previous 1 Next →



EPP – detaljer lagringsmedium

The screenshot shows the EPP (ESSArch Preservation Platform) administration interface. The browser address bar displays the URL: <https://essarch3.kdrs.no/administration/detailstoragemedium/011d31ef-5c10-4544-a497-9a45bddb182a/>. The page title is "Detail information - storage medium".

The interface includes a navigation menu with the following items: CONTROL AREA, INGEST, ACCESS, ADMINISTRATION, REPORTS, MANAGEMENT, and HELP. The user is logged in as Peter, with a "Welcome, Peter. Change password / Log out" message.

The main content area displays the following details for the storage medium:

Name	Value
Medium UUID	011d31ef-5c10-4544-a497-9a45bddb182a
Type	HP-LTO6
ID	A32001
Create Date	Feb. 10, 2016, 9:36 a.m.
Last Update	May 30, 2016, 4:59 p.m.
Location	Media_KDRS-MO-MEDIA-1
Location Status	Robot
Block Size	512K
Used Capacity	2357122 bytes
Status	Write
Format	103 (AIC support)
Used (mounts)	3
linkingAgentIdentifierValue	ESSArch_ESSArch3
Create Date	Feb. 10, 2016, 9:36 a.m.
CreateAgentIdentifierValue	ESSArch_KDRS-MO-MEDIA-1

Below the details, there is a section for "Medium content" with a search bar and a table of records. The table shows 2 records:

IP Object	Content location
cb140d2c-cf2b-11e5-8c00-08002763c5f9	1
419ece0c-2416-11e6-841e-080027ec5792	2

The interface also shows "Showing 1 to 2 of 2 entries" and navigation buttons for "Previous" and "Next".



Rapporter

- Årlig
 - tilgang siste år totalt og per arkivskaper
 - beholdning totalt og per arkivskaper
- Månedlig
 - tilgang siste måned totalt og per arkivskaper
 - beholdning totalt og per arkivskaper

Sendes postmottak for distribusjon til de som har bruk for informasjonen.



Avslutning del 4

I denne sesjonen har vi tatt for oss:

- Hvordan vi sjekker inn en mottatt pakke til control area.
- Hvordan vi starter preservering av en pakke.
- Hvordan vi ser hvor langt preservering har kommet.
- Hvordan vi ser hva vi har i depotet.



Erfaringer

- Sigve deler praktiske erfaringer fra bruk.

